

Date: Thursday, 4/12/2007 9:08:25 AM
 User: Kim Johnston

Process Sheet

Customer	: CU-DAR001 Dart Helicopters Services	Drawing Name	: GUIDE
Job Number	: 31761		
Estimate Number	: 11073		
P.O. Number	: <i>N/A</i>	Part Number	: D31373
This Issue	: 4/12/2007 S.O. No. : <i>N/A</i>	Drawing Number	: D3137 REV D
Prsht Rev.	: NC	Project Number	: N/A
First Issue	: <i>N/A</i> Type : MACHINED PARTS	Drawing Revision	: D
Previous Run	: 29830	Material	: <i>N/A</i>
Written By	: <i>[Signature]</i>	Due Date	: 5/5/2007
Checked & Approved By	: <i>[Signature]</i>	Qty:	12 Um: Each
Comment	: Est Rev:A 02.05.29 New Issue NG		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

1.0	MDELRLNB075X1250	Delrin Bar
-----	------------------	------------



Comment: Qty.: 0.0831 f(s)/Unit Total : 0.9967 f(s)

Matl: Black Delrin bar 1.250" x .750"

(ref DART spec. M-DELRIN-B)

Batch: ~~1111253~~ *M14535**mk 07/04/15**21*

2.0	BAND SAW	BAND SAW
-----	----------	----------



Comment: BAND SAW

Cut Blanks. Blank size: 1.250" x .750" x .950" long

*mk 07/04/15**21*

3.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------



Comment: HAAS CNC VERTICAL MACHINING #1

1-Machine as per Folio FA242 & Dwg D3137

2-Deburr

*mk 07/04/15**21*

4.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

*mk 07/04/15**21*

5.0	QC8	SECOND CHECK
-----	-----	--------------



Comment: SECOND CHECK

*mk 07/04/15**(421)*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☒ No ☐ DQA: ☒ _____ Date: 07 Nov 20
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 4/12/2007 9:08:25 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: GUIDE

Job Number: 31761

Part Number: D31373

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

Handwritten signature and date: 04/04/20

Handwritten circled number: 21

7.0

QC21

FINAL INSPECTION/W/O RELEASE



Handwritten circled number: 21

Comment: FINAL INSPECTION/W/O RELEASE

Handwritten date: 04/04/20

Job Completion



Handwritten date: 04/04/20

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries



DESIGN DS	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED #	APPROVED #	DRAWING NO. D3137	REV. E SHEET 1 OF 5
DATE 05.11.23	TITLE BRACKET ASSEMBLY		SCALE 1:1
A	02.04.17	NEW ISSUE	
B	03.01.16	ADD RIDGES; ADD MAT'L PROP.	
C	03.08.15	ADD -043	
D	04.11.03	RE-DESIGN D3137-5; CHANGE DIMS	
E	05.11.23	ADD -045	

RELEASED

05.12.09



D3137-041 BRACKET ASSEMBLY (SHOWN)
D3137-043 BRACKET ASSEMBLY (SIMILAR)
D3137-045 BRACKET ASSEMBLY (SIMILAR)


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31761

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN DS	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED ///	APPROVED ///	DRAWING NO. D3137	REV. E SHEET 2 OF 5
DATE 05.11.23	TITLE BRACKET ASSEMBLY		SCALE 1:1



D3137-1 BRACKET:

- 1) REPLACES PREMIER P/N B30-23000-105/-106 BRACKETS
- 2) MATERIAL: 17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643 (REF DART SPEC. M17-4-B)
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 7) ENGRAVE DART LOGO USING 0.20 & P/N USING 0.15 LETTERS TO MAX. DEPTH 0.010
WITH A LOGO MIN TOOL RAD OF 0.093 & P/N MIN TOOL RAD 0.04 AS SHOWN
- 8) IDENTIFY WITH DART B/N USING FINE POINT PERMANET INK MARKER

SEE DETAIL C

SHOP COPY

RETURN

ENGINEER

UNCONTROLLED COPY

SUBJECT TO AGREEMENT

WITHOUT NOTICE

WORK ORDER


NO. 31761

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN DS	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3137	REV. E SHEET 3 OF 5
DATE 05.11.23		TITLE BRACKET ASSEMBLY	SCALE 1:1



D3137-3 GUIDE

- 1) REPLACES PREMIER P/N B30-23000-207
- 2) MATERIAL: DELRIN BAR (REF DART SPEC. M-DELRIN-B)
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL EDGES 0.005 TO 0.015



D3137-5 WASHER

- 1) REPLACES PREMIER P/N B30-23000-209
- 2) MATERIAL: 6061-T6 (QQ-A-225/8 OR QQ-A-200/8) BAR (REF DART SPEC. M6061T6R)
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL EDGES 0.005 TO 0.015


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31761

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN DS	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED 	APPROVED 	DRAWING NO. D3137	REV. E SHEET 4 OF 5
DATE 05.11.23	TITLE BRACKET ASSEMBLY		SCALE 2:3



D3137-7 BRACKET:

- 1) MATERIAL: 17-4PH STAINLESS STEEL PER AMS 5604 OR 5643 (REF DART SPEC. M17-4-B)
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART LOGO USING 0.20 & P/N USING 0.15 LETTERS TO MAX. DEPTH 0.010
WITH A LOGO MIN TOOL RAD OF 0.093 & P/N MIN TOOL RAD 0.04 AS SHOWN
- 7) IDENTIFY WITH DART B/N USING FINE POINT PERMANENT INK MARKER

RELEASED

05.12.09


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31761

Copyright © 2002 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




DESIGN DS	DRAWN BY RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>[Signature]</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3137	REV. E SHEET 5 OF 5
DATE 05.11.23	TITLE BRACKET ASSEMBLY		SCALE 1:2





DETAIL C
RIDGE DETAIL
SCALE 1:20



DETAIL A
SCALE 1:1



DETAIL B
SCALE 1:1



D3137-9 BRACKET:

- 1) REPLACES PREMIER P/N B30-23000-105/-106 BRACKETS
- 2) MATERIAL: 17-4PH STAINLESS STEEL
PER AMS 5604 OR 5643 (REF DART SPEC. M17-4-B)
MIN ULTIMATE TENSILE = 150 ksi
MIN YIELD TENSILE = 100 ksi
- 3) FINISH: NONE
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 7) ENGRAVE DART LOGO USING 0.20 & P/N USING 0.15 LETTERS TO MAX. DEPTH 0.010
WITH A LOGO MIN TOOL RAD OF 0.093 & P/N MIN TOOL RAD 0.04 AS SHOWN
- 8) IDENTIFY WITH DART B/N USING FINE POINT PERMANENT INK MARKER

SHOP COPY
RELEASED
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 31761

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.